

■ ■ References ■ ■

- Tanaka K, Miyazawa M, Mikami M, Aoki D, Kiguchi K, Iwamori M. Enhanced expression of unique gangliosides with GM2-determinant in human uterine cervical carcinoma-derived cell lines. *Glycoconj J*. 33:745-54 ,2016
- Iwata T, Miyauchi A, Suga Y, Nishio H, Nakamura M, Ohno A, Hirao N, Morisada T, Tanaka K, Ueyama H, Watari H, Aoki D. Neoadjuvant chemotherapy for locally advanced cervical cancer. *Chin J Cancer Res*. 28:235-40 ,2016
- Iwata T, Fujii T, Morii K, Saito M, Sugiyama J, Nishio H, Morisada T, Tanaka K, Yaguchi T, Kawakami Y, Aoki D. Cytokine profile in cervical mucosa of Japanese patients with cervical intraepithelial neoplasia. *Int J Clin Oncol* . 20:126-33 ,2015
- Iwata T, Hasegawa T, Ochiai K, Takizawa K, Umezawa S, Kuramoto H, Ohmura M, Kubushiro K, Arai H, Sakamoto M, Motoyama T, Watanabe K, Aoki D. Human papillomavirus test for triage of Japanese women with low-grade squamous intraepithelial lesions. *Reprod Sci*. 22:1509-15 ,2015
- Fujii T, Saito M, Hasegawa T, Iwata T, Kuramoto H, Kubushiro K, Ohmura M, Ochiai K, Arai H, Sakamoto M, Motoyama T, Aoki D. Performance of p16INK4a/Ki-67 immunocytochemistry for identifying CIN2+ in atypical squamous cells of undetermined significance and low-grade squamous intraepithelial lesion specimens: a Japanese Gynecologic Oncology Group study. *Int J Clin Oncol*. 20:134-42 ,2015
- Nakamura M, Fujii T, Imanishi N, Jinzaki M, Yamada M, Kuribayashi S, Aoki D. Surgical anatomy imaging associated with cervical cancer treatment: A cadaveric study. *Clin Anat*. 27(3):503-10. 2014
- Nishio H, Yaguchi T, Sugiyama J, Sumimoto H, Umezawa K, Iwata T, Susumu N, Fujii T, Kawamura N, Kobayashi A, Park J, Aoki D, Kawakami Y. Immunosuppression through constitutively activated NF- κ B signalling in human ovarian cancer and its reversal by an NF- κ B inhibitor. *Br J Cancer*.110:2965-2974, 2014
- Komatsu H, Yagasaki K, Shoda R, Chung Y, Iwata T, Sugiyama J, Fujii T. Repair of the Threatened Feminine Identity: Experience of Women With Cervical Cancer Undergoing Fertility Preservation Surgery. *Cancer Nurs*. 37:75-82, 2014

Murakami I, Fujii T, Dan K, Saito M, Ohno A, Iwata T, Aoki D. Methylation of human papillomavirus-52 and -58 is a candidate biomarker in cervical neoplasia. *J Clin Virol.* 58:149-154, 2013

Nishio S, Fujii T, Nishio H, Kameyama K, Saito M, Iwata T, Kubushiro K, Aoki D. p16(INK4a) immunohistochemistry is a promising biomarker to predict the outcome of low grade cervical intraepithelial neoplasia: comparison study with HPV genotyping. *J Gynecol Oncol.* 24:215-221, 2013

Nishio H, Fujii T, Sugiyama J, Kuji N, Tanaka M, Hamatani T, Miyakoshi K, Minegishi K, Tsuda H, Iwata T, Tanaka K, Fukuchi T, Takehara Y, Yoshimura Y, Aoki D. Reproductive and obstetric outcomes after radical abdominal trachelectomy for early-stage cervical cancer in a series of 31 pregnancies. *Hum Reprod.*28(7):1793-8,2013

Kawakami Y, Yaguchi T, Sumimoto H, Kudo-Saito C, Tsukamoto N, Iwata-Kajihara T, Nakamura S, Nishio H, Satomi R, Kobayashi A, Tanaka M, Park JH, Kamijuku H, Tsujikawa T, Kawamura N. Cancer-induced immunosuppressive cascades and their reversal by molecular-targeted therapy. *Ann N Y Acad Sci.*1284:80-6,2013

Tanaka K, Takada H, Isonishi S, Aoki D, Mikami M, Kiguchi K, Iwamori M. Possible involvement of glycolipids in anticancer drug resistance of human ovarian serous carcinoma-derived cells. *J Biochem.*152(6):587-94,2012

Isao Murakami, Takuma Fujii, Kaori Kameyama, Takashi Iwata¹ Miyuki Saito, Kaneyuki Kubushiro, Daisuke Aoki. Tumor volume and lymphovascular space invasion as a prognostic factor in early invasive adenocarcinoma of the cervix *J Gynecol Oncol* 23(3):153-158,2012

Okabayashi K, Fujita T, Miyazaki J, Okada T, Iwata T, Hirao N, Noji S, Tsukamoto N, Goshima N, Hasegawa H, Takeuchi H, Ueda M, Kitagawa Y, Kawakami Y. Cancer-testis antigen BORIS is a novel prognostic marker for patients with esophageal cancer. *Cancer Sci.* 103:1617-1624,2012

Iwamori M, Nakasa M, Yamazaki K, Iwamori Y, Tanaka K, Aoki D, Adachi S, Nomura T. Bacterial species-characteristic profiles of molecular species, and the antigenicity of phospholipids and glycolipids in symbiotic Lactobacillus, Staphylococcus and Streptococcus species. *Glycoconj J.* 29:199-209,2012

Sakamoto K, Fujii T, Kawachi H, Miki Y, Omura K, Morita K, Kayamori K, Katsube K, Yamaguchi A.
Reduction of NOTCH1 expression pertains to maturation abnormalities of keratinocytes in squamous neoplasms., *Lab Invest* 92, 688-702, 2012

Koji Matsumoto, Yasuo Hirai, Reiko Furuta, Naoyoshi Takatsuka, Akinori Oki, Toshiharu Yasugi, Hiroo Maeda, Akira Mitsuhashi, Takuma Fujii, Kei Kawana, Tsuyoshi Iwasaka, Nobuo Yaegashi, Yoh Watanabe, Yutaka Nagai, Tomoyuki Kitagawa, Hiroyuki Yoshikawa, for Japan HPV and Cervical Cancer(JHACC) Study Group : HLA Class II DRB1*1302 Allele Protects Against Progression to Cervical Intraepithelial Neoplasia Grade3. *Int. Journal of Gynecological Cancer*, 22(3) : 471-478, 2012

Isao Murakami, Takamasa Takeuchi, Mayuyo Mori-Uchino, Seiichiro Mori, Takuma Fujii, Daisuke Aoki, Keiichi Nakagawa, Tadahito Kanda: An adeno-associated virus vector efficiently and specifically transduces mouse skeletal muscle. *Mol Biotechnol*, 49, 1-10, 2011

Ayano Akita, Hiroshi Shinmoto, Shigenori Hayashi, Hirotaka Akita, Takuma Fujii, Shuji Mikami, Akihiro Tanimoto, Sachio Kuribayashi: Comparison of T2-weighted and contrast-enhanced T1-weighted MR imaging at 1.5 T for assessing the local extent of cervical carcinoma. *Eur Radiol*, 21(9):1850-1857, 2011

Koji Matsumoto, Yasuo Hirai, Reiko Furuta, Naoyoshi Takatsuka, Akinori Oki, Toshiharu Yasugi, Hiroo Maeda, Akira Mitsuhashi, Takuma Fujii, Kei Kawana, Tsuyoshi Iwasaka, Nobuo Yaegashi, Yoh Watanabe, Yutaka Nagai, Tomoyuki Kitagawa, Hiroyuki Yoshikawa, for Japan HPV and Cervical Cancer(JHACC) Study Group : Subsequent risks for cervical precancer and cancer in women with low-grade squamous intraepithelial lesions unconfirmed by colposcopy-directed biopsy : results from a multicenter, prospective, cohort study. *Int. J. Clin. Oncol*, 13 July 2011

Iwamori M, Sakai A, Minamimoto N, Iwamori Y, Tanaka K, Aoki D, Adachi S, Nomura T. Characterization of novel glycolipid antigens with an α -galactose epitope in lactobacilli detected with rabbit anti-Lactobacillus antisera and occurrence of antibodies against them in human sera. *J Biochem*. 150:515-23. 2011

Matsumoto K, Oki A, Furuta R, Maeda H, Yasugi T, Takatsuka N, Mitsuhashi A, Fujii T, Hirai Y, Iwasaka T, Yaegashi N, Watanabe Y, Nagai Y, Kitagawa T, Yoshikawa H ; for Japan HPV and cervical cancer (JHACC) study group. : Predicting the progression of cervical precursor lesions by human papillomavirus genotyping : A prospective cohort study. *Int J Cancer*, 128,2898-2910,2011

Tanaka K, Mikami M, Aoki D, Kiguchi K, Ishiwata I, Iwamori M. Expression of α 2,6-sialic acid-containing and Lewis-active glycolipids in several types of human ovarian carcinomas. ***Oncol Lett.*** 1(6):1061-1066,2010

Fujii T, Nakamura M, Kameyama K, Saito M, Nishio H, Ohno A, Hirao N, Iwata T, Tsukazaki K, Aoki D; Digital colposcopy for the diagnosis of cervical adenocarcinoma using narrow band imaging system. ***In J gynecol cancer*** 20:605-610, 2010

Matsumoto K, Oki A, Furuta R, Maeda H, Yasugi T, Takatsuka N, Hirai Y, Mitsuhashi A, Fujii T, Iwasaka T, Yaegashi N, Watanabe Y, Nagai Y, Kitagawa T, Yoshikawa H ; for the Japan HPV and cervical cancer (JHACC) study group. : Tobacco Smoking and regression of low-grade cervical abnormalities. ***Cancer Sci***101:2065-2073,2010

Nishio H, Fujii T, Kameyama K, Susumu N, Nakamura M, Iwata T and Aoki D; Abdominal radical trachelectomy as a fertility-sparing procedure in women with early-stage cervical cancer in a series of 61 women. ***Gynecol Oncol*** 115:51-55,2009

Shigeo Okuda, Koichi Oshio, Hiroshi Shinmoto, Akihiro Tanimoto, Hironori Asada, Takuma Fujii, Yasunori Yoshimura, Sachio Kuribayashi : Semiquantitative assessment of MR imaging in prediction of efficacy of gonadotropin-releasing hormone agonist for volume reduction of uterine leiomyoma. ***Radiology,*** 248(3) : 917-924, 2008

Fujii T, Saito M, Iwata T, Hirao N, Nishio H, Ohno A, Tsukazaki K, Mukai M, Kameyama K and Aoki D; Ancillary testing of liquid-based cytology specimens for identification of patients at high risk of cervical cancer. ***Virchows Arch*** 453, 545-555, 2008

Fujii T, Saito M, Iwasaki E, Ochiya T, Takei Y, Hayashi S, Ono A, Hirao N, Nakamura M, Kubushiro K, Tsukazaki K and Aoki D; Intratumor injection of small interfering RNA-targeting human papillomavirus 18 E6 and E7 successfully inhibits the growth of cervical cancer. ***Int J Oncol*** 29, 541-548, 2006

Ishikawa M, Fujii T, Saito M, Nindl I, Ono A, Kubushiro K, Tsukazaki K, Mukai M and Nozawa S; Overexpression of p16 INK4a as an indicator for human papillomavirus oncogenic activity in cervical squamous neoplasia. ***Int J Gynecol Cancer*** 16, 347-353, 2006

Iwata T, Fujita T, Hirao N, Matsuzaki Y, Okada T, Mochimaru H, Susumu N, Matsumoto E, Sugano K, Yamashita N, Nozawa S, Kawakami Y; Frequent immune response to a cancer/testis antigen, CAGE, in

patients with microsatellite instability positive endometrial cancer. **Clinical Cancer Res** 11, 3949-3957, 2005

Akiba Y, Kubushiro K, Fukuchi T, Fujii T, Tsukazaki K, Mukai M and Nozawa S; Is laser conization adequate for therapeutic excision of adenocarcinoma in situ of the uterine cervix? **J Obstet Gynaecol Res** 31, 252-256, 2005

Fujii T, Masumoto N, Saito M, Hirao N, Niimi S, Mukai M, Ono A, Hayashi S, Kubushiro K, Sakai E, Tsukazaki K and Nozawa S; Comparison between in situ hybridization and real-time PCR technique as a means of detecting the integrated form of human papillomavirus 16 in cervical neoplasia. **Diagn Mol Pathol** 14, 103-108, 2005

Masumoto N, Fujii T, Ishikawa M, Mukai M, Ono A, Iwata T, Kubushiro K and Nozawa S; Dominant human papillomavirus 16 infection in cervical neoplasia in young Japanese women; study of 881 outpatients. **Gynecol Oncol** 94, 509-514, 2004

Ishikawa M, Fujii T, Masumoto N, Saito M, Mukai M, Nindl I, Ridder R, Fukuchi T, Kubushiro K, Tsukazaki K and Nozawa S; Correlation of p16INK4A overexpression with human papillomavirus infection in cervical adenocarcinomas. **Int J Gynecol Pathol** 22, 378-385, 2003

Masumoto N, Fujii T, Ishikawa M, Mukai M, Saito M, Iwata T, Fukuchi T, Kubushiro K, Tsukazaki K and Nozawa S; Papanicolaou tests and molecular analyses using new fluid-based specimen collection technology in 3000 Japanese women. **Br J Cancer** 88, 1883-1888, 2003

Masumoto N, Fujii T, Ishikawa M, Saito M, Iwata T, Fukuchi T, Susumu N, Mukai M, Kubushiro K, Tsukazaki K and Nozawa S; P16 overexpression and human papillomavirus infection in small cell carcinoma of the uterine cervix. **Hum Pathol** 34, 778-783, 2003

Fujii T, Austin D, Guo D, Srimatkandada S, Wang T, Kubushiro K, Masumoto N, Tsukazaki K, Nozawa S and Deisseroth AB; Peptides inhibitory for the transcriptional regulatory function of human papillomavirus E2. **Clin Cancer Res** 9, 5423-5428, 2003